

K-C Docket No.: 19,288
Serial No.: 10/749,366

SEP 17 2008

Argument

Each ground of rejection is based on §103 as being obvious. The Examiner has the burden of establishing a *prima facie* case of obviousness. In order to establish a *prima facie* case of obviousness, three basic criteria must be met: (1) there must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the reference or to combine reference teachings; (2) there must be a reasonable expectation of success; and (3) the prior art reference (or references when combined) must teach or suggest all the claim limitations. MPEP §2143. The application of the "teaching, suggestion, or motivation" (TSM) test is not "rigid." However, "there must be some articulated reasoning with some rational underpinning to support the legal conclusion of obviousness" *KSR Int'l Co. v. Teleflex Inc.*, 127 S. Ct. 1727, 82 USPQ2d 1385, 1396 (2007) (quoting *In re Kahn*, 441 F.3d 977, 988, 78 USPQ2d 1329, 1336 (Fed. Cir. 2006)) (emphasis added).

Ground 1 -- Rejection Of Claims 1-2, 4, 7, 10-11, 15-16, 18, 20-21, 23, 28-29, 33-34, 37-38, 40, 43, 46-47, 51-52 and 55

Claims 1-2, 4, 7, 10-11, 15-16, 18, 20-21, 23, 28-29, 33-34, 37-38, 40, 43, 46-47, 51-52 and 55 stand rejected under 35 U.S.C. § 103(a) as being unpatenable over Melbye in view of Carr.


Claims 1, 20, 37

No *prima facie* case of obviousness has been established because Melbye and Carr, alone or in combination, do not teach or suggest all the claim limitations. Specifically, Melbye and Carr fail to teach or suggest a disposable garment having "an elastic inner layer wherein the elastic inner layer defines an opening located in an internal position to the elastic inner layer perimeter and wherein the opening is a slit or aperture through a bodyfacing surface of the elastic inner layer and wherein the opening has a length that is 10% to 90% of the garment length" as required by Appellants' claims 1, 20, and 37.

Melbye teaches an elastic sheet-like composite 30 having a multiplicity of generally parallel elongated strands 16 of resiliently elastic thermoplastic material thermally bonded to a first

K-C Docket No.: 19,288
Serial No.: 10/749,366

sheet 12 and a second sheet 32 as illustrated in Figure 5 (reproduced below) and described at column 10: lines 3-60.



Melbye states that either or both of the first and second sheets of flexible material may be needle punched. (col. 4, lines 20-27). As best understood by Appellants, the Examiner appears to be equating one or more of the needle punches as the claimed "slit or aperture" through the bodyfacing surface of the elastic inner layer. Even assuming, arguendo, that said reasoning is sound, the needle punches are not an opening having a length that is 10% to 90% of the garment length.

The Examiner disagrees and states at page 2 of the Office Action that

"a garment length" is not necessarily reflective of the entire length of the garment, and as such, any length thereof may be considered in conjunction with the disclosed openings in order to meet the claimed limitations.

Appellants respectfully disagree. MPEP 2111 states that the pending claims must be given their broadest reasonable interpretation consistent with the specification as it would be interpreted by one of ordinary skill in the art. It is clear from the specification that the "garment length" is the full length of the product as depicted in Fig. 1 (reproduced below) and identified as element 120.

K-C Docket No.: 19,288
Serial No.: 10/749,366




FIG. 1

Furthermore, the specification states that "the length 95 of the opening 90 may be from about 10% to about 90% of the total garment length 120." (See page 12, lines 5-6, emphasis added). One skilled in the art would not reasonably interpret "a garment length" as anything less than the total length of the garment.

Thus, even assuming, arguendo, that Melbye discloses slits or apertures through the bodyfacing surface of the elastic inner layer, as asserted by the Examiner, these slits or apertures clearly do not have a length that is 10% to 90% of the garment length as required by the claims. Therefore, Melbye does not teach or suggest all the claim limitations.

Carr is added for the limitation of "a crotch region less than 4 inches"; not to cure this defect. Therefore, no prima facie case of obviousness has been established as to claims 1, 20, and 37 and the rejection as to these claims should be reversed for at least this reason. Likewise, the remaining claims depend either directly or indirectly from claims 1, 20, or 37 and are patentably distinct over the combination of Melbye and Carr for at least the same reason. The rejection as to these claims should also be reversed.

Claims 11, 29, 47

Claims 11, 29, and 47 further require that the elastic inner layer be liquid impermeable. The Examiner refers to the abstract and figures of Melbye to reject these claims. Appellants are

K-C Docket No.: 19,288
Serial No.: 10/749,366

unable to find any teaching in the abstract or figures of Melbye to suggest that the elastic inner layer is liquid impermeable. The Examiner appears to be implying that all elastic material is liquid impermeable. (See e.g., Office Action at page 4, second paragraph). This implication is unsupported. Furthermore, Appellants assert that elastic material may be liquid permeable or liquid impermeable as discussed at page 11, lines 14-22 of Appellants' specification. Thus, no prima facie case of obviousness has been established. Appellants respectfully request reversal of this rejection for this additional reason.

Claims 15, 16, 33, 34, 51, 52

Claims 15, 16, 33, 34, 51, 52 further require that either the outer layer width be greater than the elastic inner layer width or the outer layer length be greater than the elastic inner layer length. The Examiner contends "that any length or portion thereof may be considered in order to meet the claimed limitation." Appellants respectfully disagree with the sufficiency of this rejection. Specifically, Appellants' specification describes having an elastic inner layer that is smaller than the outer layer to provide a snug fit against the body of the wearer while also providing volume for containment. (See e.g., page 13, lines 1-28). Melbye does not teach or suggest inner and outer layers having different widths or lengths. Appellants respectfully request reversal of this rejection for this additional reason.

Conclusion

For the reasons stated above it is Appellants' position that the Examiner's rejection of claims has been shown to be untenable and should be **reversed** by the Board.

Please charge the \$510.00 fee (fee code 1402), pursuant to 37 C.F.R. 41.20(b)(2), for filing this Appeal Brief to Kimberly-Clark Worldwide, Inc. deposit account number 11-0875. Any additional prosecutorial fees which are due may also be charged to deposit account number 11-0875.

The undersigned may be reached at: 920-721-3016

Respectfully submitted,

PAUL T. VAN GOMPEL ET AL.

By: 

David J. Arteman

Registration No.: 44,512

K-C Docket No.: 19,288

Serial No.: 10/749,366

Appendix – The Claims On Appeal

The claims on appeal are:

1. A disposable garment having a garment length, the disposable garment comprising:
 - an outer layer;
 - an elastic inner layer, wherein the elastic inner layer has an elastic inner layer perimeter and wherein the elastic inner layer defines an opening located in an internal position to the elastic inner layer perimeter and wherein the opening is a slit or aperture through a bodyfacing surface of the elastic inner layer and wherein the opening has a length that is 10% to 90% of the garment length;
 - wherein the elastic inner layer perimeter is bonded to the outer layer; and
 - wherein the outer layer and the elastic inner layer form a front waist region, a back waist region and a crotch region, wherein the crotch region connects the front waist region and the back waist region and the elastic inner layer has a width at a narrowest portion of the crotch region of equal to or less than 4 inches.
2. The disposable garment of claim 1, wherein the outer layer has an outer layer perimeter and the elastic inner layer perimeter is bonded to the outer layer perimeter.
4. The disposable garment of claim 1, wherein the outer layer is elastic.
7. The disposable garment of claim 1, wherein the outer layer has one or more pleats.
10. The disposable garment of claim 1, wherein the elastic inner layer is elastic in both a longitudinal direction and a lateral direction of the disposable garment.
11. The disposable garment of claim 1, wherein the elastic inner layer is liquid impermeable.
15. The disposable garment of claim 1, wherein the disposable garment has a longitudinal direction wherein the outer layer has a length in the longitudinal direction, the elastic inner layer has a length in the longitudinal direction and the outer layer length is greater than the elastic inner layer length.

K-C Docket No.: 19,288
Serial No.: 10/749,366

16. The disposable garment of claim 1, wherein the disposable garment has a lateral direction wherein the outer layer has a width in the lateral direction, the elastic inner layer has a width in the lateral direction and the outer layer width is greater than the elastic inner layer width.

18. The disposable garment of claim 1, wherein the disposable garment has a longitudinal direction and wherein the narrowest portion of the crotch region is toward the front waist region from a longitudinal centerline.

20. A disposable garment having a garment length, the disposable garment comprising:
a stretchable outer layer;

an elastic inner layer, wherein the elastic inner layer has an elastic inner layer perimeter and wherein the elastic inner layer defines an opening located in an internal position to the elastic inner layer perimeter and wherein the opening is a slit or aperture through a bodyfacing surface of the elastic inner layer layer and wherein the opening has a length that is 10% to 90% of the garment length;

wherein the elastic inner layer perimeter is bonded to the stretchable outer layer; and wherein the elastic inner layer has an elastic inner layer retraction value and the stretchable outer layer has a stretchable outer layer retraction value that is less than the elastic inner layer retraction value; and

wherein the stretchable outer layer and the elastic inner layer form a front waist region, a back waist region and a crotch region, wherein the crotch region connects the front waist region and the back waist region and the elastic inner layer has a width at a narrowest portion of the crotch region of equal to or less than 4 inches.

21. The disposable garment of claim 20, wherein the stretchable outer layer has a stretchable outer layer perimeter and the elastic inner layer perimeter is bonded to the stretchable outer layer perimeter.

23. The disposable garment of claim 20, wherein the stretchable outer layer is elastic.

K-C Docket No.: 19,288
Serial No.: 10/749,366

28. The disposable garment of claim 20, wherein the elastic inner layer is elastic in both a longitudinal direction and a lateral direction of the disposable garment.

29. The disposable garment of claim 20, wherein the elastic inner layer is liquid impermeable.

33. The disposable garment of claim 20, wherein the disposable garment has a longitudinal direction wherein the stretchable outer layer has a length in the longitudinal direction, the elastic inner layer has a length in the longitudinal direction and the stretchable outer layer length is greater than the elastic inner layer length.

34. The disposable garment of claim 20, wherein the disposable garment has a lateral direction wherein the stretchable outer layer has a width in the lateral direction, the elastic inner layer has a width in the lateral direction and the stretchable outer layer width is greater than the elastic inner layer width.

37. A disposable absorbent garment having a garment length, the disposable absorbent garment comprising:

- an outer layer;

- an elastic inner layer, wherein the elastic inner layer has an elastic inner layer perimeter and wherein the elastic inner layer defines an opening located in an internal position to the elastic inner layer perimeter and wherein the opening is a slit or aperture through a bodyfacing surface of the elastic inner layer layer and wherein the opening has a length that is 10% to 90% of the garment length;

- wherein the elastic inner layer perimeter is bonded to the outer layer;

- wherein the outer layer and the elastic inner layer form a front waist region, a back waist region and a crotch region, wherein the crotch region connects the front waist region and the back waist region and the elastic inner layer has a width at a narrowest portion of the crotch region of equal to or less than 4 inches; and

- an absorbent assembly positioned between the outer layer and the elastic inner layer, wherein the absorbent assembly includes a topsheet layer, a core layer and a barrier layer.

K-C Docket No.: 19,288
Serial No.: 10/749,366

38. The disposable absorbent garment of claim 37, wherein the outer layer has an outer layer perimeter and the elastic inner layer perimeter is bonded to the outer layer perimeter.

40. The disposable absorbent garment of claim 37, wherein the outer layer is elastic.

43. The disposable absorbent garment of claim 37, wherein the outer layer has one or more pleats.

46. The disposable absorbent garment of claim 37, wherein the elastic inner layer is elastic in both a longitudinal direction and a lateral direction of the disposable absorbent garment.

47. The disposable absorbent garment of claim 37, wherein the elastic inner layer is liquid impermeable.

51. The disposable absorbent garment of claim 37, wherein the disposable absorbent garment has a longitudinal direction wherein the outer layer has a length in the longitudinal direction, the elastic inner layer has a length in the longitudinal direction and the outer layer length is greater than the elastic inner layer length.

52. The disposable absorbent garment of claim 37, wherein the disposable absorbent garment has a lateral direction wherein the outer layer has a width in the lateral direction, the elastic inner layer has a width in the lateral direction and the outer layer width is greater than the elastic inner layer width.

55. The disposable absorbent garment of claim 37, wherein the disposable absorbent garment has a longitudinal direction and a lateral direction and wherein the absorbent assembly is attached to the outer layer along a lateral centerline of the absorbent assembly.

K-C Docket No.: 19,288
Serial No.: 10/749,366

Evidence Appendix

Not Applicable

K-C Docket No.: 19,288
Serial No.: 10/749,366

Related Proceedings Appendix

There are no known related proceedings.